

INDEX TO VOLUME XXXVI

AUTHORS

	Page		Page
Anderson, R. A., and V. F. Pfeifer.		DeVries, J. E. (see W. F. Daum)	176
A note on experimental wet-		Dimler, R. J. (see W. C. Schaefer)	431
milling of high-amylose corn	98	(see C. A. Wilham)	558
— (see E. B. Lancaster)	420	Dungan, G. H. (see Majel M. Mac-	
Baker, Doris, M. H. Neustadt, and		Masters)	247
L. Zeleny. Relationships between		Eremia, Kathryn M. (see J. W.	
fat acidity values and types of		Pence)	199
damage in grain	308	Feinstein, L., and J. R. Hart. A	
Bechtel, W. G. Staling studies of		simple method for determining	
bread made with flour fractions.		the protein content of wheat and	
V. Effect of a heat-stable amyl-		flour samples	191
ase and a cross-linked starch	368	Ferrel, R. E. (see D. F. Houston)	103
— (see K. Kulp)	228	Fetzer, W. R., and L. C. Kirst. The	
Bloksma, A. H. The amperometric		estimation of starch paste fluid-	
titration of thiol groups in flour		ities	108
and gluten	357	Finkner, M. D. (see Majel M. Mac-	
Briggs, D. R. (see J. Holme)	321	Masters)	247
Brown, J. W., N. W. Flodin, E. H.		Finney, K. F. (see S.-P. Lai)	401
Gray, and O. E. Paynter. The		Flodin, N. W. (see J. W. Brown)	545
effect of lysine supplementation		Geddes, W. F. (see R. L. Glass)	186
on the protein efficiency of high-		— (see R. L. Glass)	341
protein breads	545	— (see J. W. Lee)	1
Cardwell, A. B. (see R. Katz)	393	— (see J. W. Lee)	522
Christensen, C. M., and S. A.		— (see J. W. Lee)	554
Qasem. Note on a rapid method		Glass, R. L., and W. F. Geddes.	
of detecting germ damage in		Grain storage studies. XXVII.	
wheat and corn	461	The inorganic phosphorus con-	
— (see R. L. Glass)	341	tent of deteriorating wheat	186
Cluskey, J. E., N. W. Taylor, and		— J. G. Ponte, Jr., C. M.	
F. R. Senti. Relation of the		Christensen, and W. F. Geddes.	
rigidity of flour, starch, and		Grain storage studies. XXVIII.	
gluten gels to bread staling	236	The influence of temperature	
Collins, N. D. (see R. Katz)	393	and moisture level on the be-	
Cuendet, L. S. (see J. W. Lee)	522	havior of wheat stored in air	
Daniels, D. G. H. The estimation		or nitrogen	341
and location of methoxyhydro-		Goatley, J. L. (see R. L. Whistler)	84
quinone glycosides in the wheat		Gracza, R. The subsieve-size	
grain	32	fractions of a soft wheat flour	
Daum, W. F., J. E. DeVries, and		produced by air classification	465
B. S. Miller. The polarographic		Gray, E. H. (see J. W. Brown)	545
determination of cystine in		Grosh, G. M., and M. Milner. Wa-	
wheat and flour hydrolysates	176	ter penetration and internal	
Desikachar, H. S. R., S. K. Ma-		cracking in tempered wheat	
junder, S. V. Pingale, and V.		grains	260
Subrahmanyam. Discoloration in		Halick, J. V., and V. J. Kelly.	
rice: Some studies on its nature		Gelatinization and pasting	
and effect on nutritive value	78	characteristics of rice varieties	
—, and V. Subrahmanyam. Ex-		as related to cooking behavior	91
pansion of new and old rice		Hart, J. R. (see L. Feinstein)	191
during cooking	385		

INDEX TO VOLUME XXXVI

AUTHORS

	Page		Page
Anderson, R. A., and V. F. Pfeifer.		DeVries, J. E. (see W. F. Daum)	176
A note on experimental wet-		Dimler, R. J. (see W. C. Schaefer)	431
milling of high-amylose corn	98	(see C. A. Wilham)	558
— (see E. B. Lancaster)	420	Dungan, G. H. (see Majel M. Mac-	
Baker, Doris, M. H. Neustadt, and		Masters)	247
L. Zeleny. Relationships between		Eremia, Kathryn M. (see J. W.	
fat acidity values and types of		Pence)	199
damage in grain	308	Feinstein, L., and J. R. Hart. A	
Bechtel, W. G. Staling studies of		simple method for determining	
bread made with flour fractions.		the protein content of wheat and	
V. Effect of a heat-stable amyl-		flour samples	191
ase and a cross-linked starch	368	Ferrel, R. E. (see D. F. Houston)	103
— (see K. Kulp)	228	Fetzer, W. R., and L. C. Kirst. The	
Blokma, A. H. The amperometric		estimation of starch paste fluid-	
titration of thiol groups in flour		ities	108
and gluten	357	Finkner, M. D. (see Majel M. Mac-	
Briggs, D. R. (see J. Holme)	321	Masters)	247
Brown, J. W., N. W. Flodin, E. H.		Finney, K. F. (see S.-P. Lai)	401
Gray, and O. E. Paynter. The		Flodin, N. W. (see J. W. Brown)	545
effect of lysine supplementation		Geddes, W. F. (see R. L. Glass)	186
on the protein efficiency of high-		— (see R. L. Glass)	341
protein breads	545	— (see J. W. Lee)	1
Cardwell, A. B. (see R. Katz)	393	— (see J. W. Lee)	522
Christensen, C. M., and S. A.		— (see J. W. Lee)	554
Qasem. Note on a rapid method		Glass, R. L., and W. F. Geddes.	
of detecting germ damage in		Grain storage studies. XXVII.	
wheat and corn	461	The inorganic phosphorus con-	
— (see R. L. Glass)	341	tent of deteriorating wheat	186
Cluskey, J. E., N. W. Taylor, and		J. G. Ponte, Jr., C. M.	
F. R. Senti. Relation of the		Christensen, and W. F. Geddes.	
rigidity of flour, starch, and		Grain storage studies. XXVIII.	
gluten gels to bread staling	236	The influence of temperature	
Collins, N. D. (see R. Katz)	393	and moisture level on the be-	
Cuendet, L. S. (see J. W. Lee)	522	havior of wheat stored in air	
Daniels, D. G. H. The estimation		or nitrogen	341
and location of methoxyhydro-		Goatley, J. L. (see R. L. Whistler)	84
quinone glycosides in the wheat		Gracza, R. The subsieve-size	
grain	32	fractions of a soft wheat flour	
Daum, W. F., J. E. DeVries, and		produced by air classification	465
B. S. Miller. The polarographic		Gray, E. H. (see J. W. Brown)	545
determination of cystine in		Grosh, G. M., and M. Milner. Wa-	
wheat and flour hydrolysates	176	ter penetration and internal	
Desikachar, H. S. R., S. K. Ma-		cracking in tempered wheat	
junder, S. V. Pingale, and V.		grains	260
Subrahmanyam. Discoloration in		Halick, J. V., and V. J. Kelly.	
rice: Some studies on its nature		Gelatinization and pasting	
and effect on nutritive value	78	characteristics of rice varieties	
—, and V. Subrahmanyam. Ex-		as related to cooking behavior	91
pansion of new and old rice		Hart, J. R. (see L. Feinstein)	191
during cooking	385		

- Hinton, J. J. C. The distribution of ash in the wheat kernel 19
- Hlynka, I. Dough mobility and absorption 378
- (see H. Matsumoto) 513
- , and R. Matsuo. Quantitative relation between structural relaxation and bromate in dough 312
- Holme, J., and D. R. Briggs. Studies on the physical nature of gliadin 321
- Holzappel, Margaret M. (see Majel M. MacMasters) 247
- Hostetter, A. E. (see R. Katz) 393
- Houston, D. F., R. E. Ferrel, I. R. Hunter, and E. B. Kester. Preservation of rough rice by cold storage 103
- Hunter, I. R. (see D. F. Houston) 103
- Irvine, G. N. Effect of temperature on the kinetics of the lipoxidase system of wheat 146
- Katz, R., A. B. Cardwell, N. D. Collins, and A. E. Hostetter. A new grain hardness tester 393
- Kelly, V. J. (see J. V. Halick) 91
- Kester, E. B. (see D. F. Houston) 103
- Kirst, L. C. (see W. R. Fetzer) 108
- Kissell, L. T. A lean-formula cake method for varietal evaluation and research 168
- Kulp, K., J. G. Ponte, Jr., and W. G. Bechtel. Some factors that affect the staling of white and yellow layer cakes 228
- Lai, S.-P., K. F. Finney, and M. Milner. Treatment of wheat with ionizing radiations. IV. Oxidative, physical, and biochemical changes 401
- Lancaster, E. B., and R. A. Anderson. Consistency measurements on batters, doughs, and pastes 420
- Leach, H. W., L. D. McCowen, and T. J. Schoch. Structure of the starch granule. I. Swelling and solubility patterns of various starches 534
- Lee, C. C. The baking quality and maltose value of flour irradiated with Co⁶⁰ gamma rays 70
- A note on the radioactivity distribution in milling products of Thatcher wheat grown in the presence of strontium-90 194
- , and R. Tkachuk. Studies with radioactive tracers. II. The presence of unchanged bromate in bread 294
- , and —. Studies with radioactive tracers. III. The effects of defatting and of benzoyl peroxide on the decomposition of Br⁸²-labeled bromate by water-flour doughs 412
- Lee, J. W., L. S. Cuendet, and W. F. Geddes. The fate of various sugars in fermenting sponges and doughs 522
- , and W. F. Geddes. Studies on the brew process of bread manufacture: The effect of sugar and other nutrients on baking quality and yeast properties 1
- , and —. The role of amylase activity in the rapid increase of the maltose content of wheat flour doughs during mixing 554
- Linko, P., and M. Milner. Gas exchange induced in dry wheat embryos by wetting 274
- , and —. Free amino and keto acids of wheat grains and embryos in relation to water content and germination 280
- Loschiavo, S. R. Observations on food preferences of five species of stored-product insects 299
- MacMasters, Majel M., M. D. Finkner, Margaret M. Holzappel, J. H. Ramser, and G. H. Dungan. A study of the effect of drying conditions on the suitability for starch production of corn artificially dried after shelling 247
- (see J. W. Sloan) 196
- McCowen, L. D. (see H. W. Leach) 534
- McMullen, J. J. (see J. A. Miller) 156
- McWilliams, C. S. (see J. A. Miller) 156
- (see J. A. Miller) 487
- Majumder, S. K. (see H. S. R. Desikachar) 78
- Matsumoto, H., and I. Hlynka. Some aspects of the sulfhydryl-disulfide system in flour and dough 513
- Matsuo, R. R. (see I. Hlynka) 312
- Matz, S. A. (see J. A. Miller) 487
- Mecham, D. K. Effects of sulfhydryl-blocking reagents on the mixing characteristics of doughs 134
- (see J. W. Pence) 199
- (see H. A. Sokol) 127
- Mehlretter, C. L. (see J. C. Rankin) 215
- Miller, B. S. (see W. F. Daum) 176
- Miller, J. A., C. S. McWilliams, and J. J. McMullen. Study of the storage deterioration and loss of performance value of a military prepared chiffon cake mix when stored at 70° and 100°F. 156

- _____, _____, and S. A. Matz.
Development of the leavening
system for an instant bread mix 487
- Milner, M. (see G. M. Grosh) 260
- _____, (see S.-P. Lai) 401
- _____, (see P. Linko) 274
- _____, (see P. Linko) 280
- Neustadt, M. H. (see Doris Baker) 308
- Paynter, O. E. (see J. W. Brown) 545
- Pence, J. W., Kathryn M. Eremia,
N. E. Weinstein, and D. K.
Mecham. Studies on the impor-
tance of starch and protein sys-
tems of individual flours in loaf
volume production. 199
- _____, (see H. A. Sokol) 127
- Pfeifer, V. F. (see R. A. Anderson) 98
- Pingale, S. V. (see H. S. R. Desi-
kachar) 78
- Ponte, J. G., Jr. (see R. L. Glass) 341
- _____, (see K. Kulp) 228
- Qasem, S. A. (see C. M. Christen-
sen) 461
- Ramser, J. H. (see Majel M. Mac-
Masters) 247
- Rankin, J. C., C. L. Mehlretter,
and F. R. Senti. Hydroxyethyl-
ated cereal flours 215
- Schaefer, W. C., C. A. Wilham,
R. J. Dimler, and F. R. Senti.
Observations on the potenti-
ometric titration of sulfhydryl
groups in wheat gluten with
iodine 431
- Schoch, T. J. (see H. W. Leach) 534
- Senti, F. R. (see J. E. Cluskey) 236
- _____, (see J. C. Rankin) 215
- _____, (see W. C. Schaefer) 431
- _____, (see J. W. Sloan) 196
- _____, (see C. A. Wilham) 558
- _____, (see H. F. Zobel) 441
- Sloan, J. W., Majel M. MacMas-
ters, and F. R. Senti. A note on
methods of dispersing fifty-per-
cent-amylose corn starch 196
- Sokol, H. A., D. K. Mecham, and
J. W. Pence. Further studies on
the determination of sulfhydryl
groups in wheat flours 127
- Sollars, W. F. Effects of the water-
soluble constituents of wheat
flour on cookie diameter 498
- Spencer, W. W. (see R. L. Whist-
ler) 84
- Stevens, D. J. The contribution of
the germ to the oil content of
white flour 452
- Subrahmanyam, V. (see H. S. R.
Desikachar) 78
- _____, (see H. S. R. Desikachar) 385
- Taylor, N. W. (see J. E. Cluskey) 236
- Tkachuk, R. (see C. C. Lee) 294
- _____, (see C. C. Lee) 412
- Weinstein, N. E. (see J. W. Pence) 199
- Whistler, R. L., J. L. Goatley, and
W. W. Spencer. Effect of drying
on the physical properties and
chemical reactivity of corn starch
granules 84
- Wilham, C. A., R. J. Dimler, and
F. R. Senti. A note on the effects
of neutral polysaccharides on
dough mixing properties 558
- _____, (see W. C. Schaefer) 431
- Yamazaki, W. T. Flour granularity
and cookie quality. I. Effect of
wheat variety on sieve fraction
properties 42
- _____. Flour granularity and
cookie quality. II. Effects of
changes in granularity on cookie
characteristics 52
- _____. The application of heat in
the testing of flours for cookie
quality 59
- Zeleny, L. (see Doris Baker) 308
- Zobel, H. F., and F. R. Senti. The
bread staling problem. X-ray dif-
fraction studies on breads con-
taining a cross-linked starch and
a heat-stable amylase 441

SUBJECTS

	Page		Page
Absorption		Amino acids (see also individual amino acids)	
In air-classified flour fractions, increasing with protein content (Gracza)	465	Free, of wheat grains, and germs, vs. water content and germination (Linko and Milner) . . .	280
Of dough, vs. mobility; constant-flour and constant-dough methods (Hlynka)	378	Amylase	
In flour, increased by addition of dextran (Wilham, Dimler, and Senti)	558	Bacterial (heat-stable), in bread, X-ray diffraction studies on (Zobel and Senti)	441
Acid(s)		Amylase activity	
Amino, see Amino acids ; individual amino acids		Role in increased maltose content of doughs during mixing (Lee and Geddes)	554
p-Chloromercury benzoic (PCMB) and ethylene diamino tetraacetic (EDTA), in amperometric titration of thiol groups in flour and gluten (Blokma)	357	Amylase, alpha-	
Fatty, see Fatty acids		Bacterial	
Gluconic, see Glucono-delta-lactone		antistaling agent in bread, vs. a cross-linked starch (Bechtel)	368
Keto (free), of wheat grains and germs, vs. water content and germination (Linko and Milner)	280	effect on starch crystallization in bread (Zobel and Senti) . . .	441
Krebs cycle-, effect on CO ₂ evolution and oxygen uptake by wetted wheat germ (Linko and Milner)	274	Amylograph studies	
In leavening system trials for instant bread mix (Miller, McWilliams, and Matz)	487	With air-classified flour; subsieve-size fractions (Gracza) . .	465
Tricarboxylic acid cycle role in survival of seeds in storage (Linko and Milner)	274	Of rice, gelatinization and pasting vs. cooking behavior (Halick and Kelly)	91
Acidity, fat, see Fat acidity		Amylose, corn, see Corn starch	
Acidulant(s), see Glucono-delta-lactone		Antifirming agents, see Bread crumb; Bread staling; Cake, Staling of; Flour improvers	
Air		Apparatus	
Wheat stored in; effect of temperature and moisture level on behavior (Glass, Ponte, Christensen, and Geddes)	341	For amperometric titration in nitrogen (Matsumoto and Hlynka)	513
Air classification of flour		Clinton aqueous starch paste cooker (Fetzer and Kirst) . . .	108
Subsieve-size fractions; protein-shifting study (Gracza)	465	Clinton funnel, for alkaline paste procedure to estimate starch paste fluidities (Fetzer and Kirst)	108
Alkaline paste fluidity procedure		For recording consistency of batters, doughs, and pastes (Lancaster and Anderson) . . .	420
For estimating degree of modification of starches (Fetzer and Kirst)	108	Ash	
Alkaline water retention capacity (AWRC)		In wheat kernels, distribution (Hinton)	19
Of cookie flours; testing for quality, with heat (Yamazaki) .	59	Aspergillus	
Alpha-amylase, see Amylase, alpha-		In stored wheat; deterioration study (Glass, Ponte, Christensen, and Geddes)	341
		Atmosphere	
		Effect on stored wheat (Glass, Ponte, Christensen, and Geddes)	341

- Bacteria**
 In canning of bakery products (Kulp, Ponte, and Bechtel) . . . 228
- Bacterial amylase**, see **Amylase**, **Bacterial**; **Amylase**, **alpha-Bacterial**
- Baking properties**, see **Baking tests**
- Baking tests**
Bread
 brew-process: effect of sugar and other nutrients (Lee and Geddes) . . . 1
 with defatted flours, for effect on decomposition of Br³⁵-labeled bromate to bromide (Lee and Tkachuk) . . . 412
 for effect of starch modification due to gamma irradiation (Lai, Finney, and Milner) . . . 401
 with flour irradiated with Co⁶⁰ gamma rays (Lee) . . . 70
 flour starch and protein vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) . . . 199
 with radioactive bromate-treated flour (Lee and Tkachuk) . . . 294
 with flour from stored wheat (air or nitrogen); effects of temperature and moisture level (Glass, Ponte, Christensen, and Geddes) . . . 341
 Bread mix (instant); leavening system trials (Miller, McWilliams, and Matz) . . . 487
 Cake, see **Cake(s)**; other **Cake** entries
- Barcol Impressor**
 Modified, for testing grain hardness (Katz, Cardwell, Collins, and Hostetter) . . . 393
- Batters**
 Consistency measurements of (Lancaster and Anderson) . . . 420
- Biological materials**
 Hydrolysates of, improved polarographic assay for cystine in (Daum, DeVries, and Miller) . . . 176
- Bleaching agents** (see also **Bleaching of flour**)
 Sodium hypochlorite, to detect germ damage in wheat and corn (Christensen and Qasem) . . . 461
- Bleaching of flour**
 With benzoyl peroxide, effect on decomposition of Br³⁵-labeled bromate by water-flour doughs (Lee and Tkachuk) . . . 412
 With chlorine, in lean-formula cake method for varietal evaluation (Kissell) . . . 168
- Bran**
 Fat-free, preferred as food by mill-infesting insects (Loschia-vo) . . . 299
- Bread** (see also **succeeding main entries**; **Dough(s)**)
 With cross-linked starch and heat-stable amylase; X-ray diffraction studies on (Zobel and Senti) . . . 441
- Crumb**, see **Bread crumb**
 High-protein; effect of lysine on protein efficiency in (Brown, Flodin, Gray, and Paynter) . . . 545
- Leavening system** for instant mix (Miller, McWilliams, and Matz) . . . 487
- Loaf volume** of, see **Loaf volume**
- Bread crumb**
 Compressibility of, affected by gamma irradiation of wheat (Lai, Finney, and Milner) . . . 401
- Firming** of, see **Bread staling**
- Bread emulsifiers**, see **Flour improvers**
- Bread staling**
 Effect of gamma irradiation on (Lai, Finney, and Milner) . . . 401
- Effect** on, of heat-stable amylase and cross-linked starch (Bechtel) . . . 368
- vs. Rigidity** of flour, starch, and gluten gels (Cluskey, Taylor, and Senti) . . . 236
- X-ray diffraction studies** on breads containing a cross-linked starch and a heat-stable amylase (Zobel and Senti) . . . 441
- Breadmaking processes**, see **Fermentation**
- Bromate**
 In dough, vs. structural relaxation (Hlynka and Matsuo) . . . 312
- Potassium**, radioactive (Br³⁵) presence of in bread, unchanged (Lee and Tkachuk) . . . 294
- decomposition** of by water-flour doughs (Lee and Tkachuk) . . . 412
- Bromide (Br³⁵)**
 Activity in bread extract (Lee and Tkachuk) . . . 294
- From decomposed Br³⁵-labeled bromate** (Lee and Tkachuk) . . . 412
- Browning**
 Of rice (Maillard?) (Desikachar, Majumder, Pingale, and Subrahmanyam) . . . 78
- Cadelle**
 Food preference study (Loschia-vo) . . . 299

- Cake(s)** (see also succeeding **Cake entries**)
 Chiffon mix, military; in storage study of deterioration (Miller, McWilliams, and McMullen) 156
 Staling of (white and yellow layer); factors affecting (Kulp, Ponte, and Bechtel) 228
 White layer (lean-formula); method for varietal evaluation of soft wheats (Kissell) 168
- Cake batters**
 Consistency measurements of (Lancaster and Anderson) 420
- Cake flour**
 Irradiated with Cobalt-60 gamma rays; baking quality and maltose value (Lee) 70
- Canning of baked goods**
 Cake, in staling study (Kulp, Ponte, and Bechtel) 228
- Carbohydrates**
 Pentosans, in soft wheat flour, vs. cookie diameter (Sollars) 498
 Polysaccharides
 neutral, effect on mixing properties of dough (Wilham, Dimler, and Senti) 558
 water-soluble, in flour; effect on cookie diameter (Sollars) 498
 Sugars
 fate of in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
 maltose; increase of in dough during mixing; role of alpha-amylase in (Lee and Geddes) 554
- Carbon dioxide**
 Evolution of, in wheat germ exposed to water vapor (Linko and Milner) 274
 Production of, in wheat stored in air or nitrogen, temperature-moisture study (Glass, Ponte, Christensen, and Geddes) 341
- Casein**
 Hydrolysate of, as nutrient in brews for breadmaking; effect on baking quality and yeast properties (Lee and Geddes) 1
- Cavities in starch granules**
 In sulfated, mercuric chloride-treated corn starch; two types (Whistler, Goatley, and Spencer) 84
- Cell structure**
 Of rice, cooked; diagram (Desikachar and Subrahmanyam) ... 385
- Cereals and cereal products** (see also **Grain**; individual grains)
 vs. Food preferences of mill-infesting insects (Loschiavo) ... 299
- p-Chloromercuribenzoate (PCMB)**
 As sulphydryl-blocking agent: effect on -SH content of dough (Matsumoto and Hlynka) ... 513
 As sulphydryl-blocking reagent; effects on mixing characteristics of doughs (Mecham) ... 134
- p-Chloromercury(II) benzoic acid**
 As thiol-blocking reagent; flour-gluten study (Blokma) 357
- Chopin Zymotachygraphe**
 For measuring gas production in sponges and doughs (Lee, Cuendet, and Geddes) 522
- Chromatographic procedures**
 With methoxyhydroquinone (MHQ) glycosides and related compounds (Daniels) 32
- Cobalt-60 gamma rays**
 Flour irradiated with; baking quality and maltose value (Lee) 70
- Colorimetry**
 For determining protein content of wheat and flour (Feinstein and Hart) 191
- Compressibility**
 Of bread crumb, affected by gamma irradiation of wheat (Lai, Finney, and Milner) ... 401
- Confused flour beetle**
 Food preference study (Loschiavo) 299
- Consistency**
 Of batters, doughs, and pastes; measurement (Lancaster and Anderson) 420
- Cookie flour** (see also **Cookie quality**)
 Granularity of; changes in, vs. cookie quality (Yamazaki) ... 52
 Water-soluble constituents of; effect on cookie diameter (Sollars) 498
- Cookie quality**
 Effects on, of changes in flour granularity (Yamazaki) 52
 vs. Flour granularity (Yamazaki) 42
 Testing of flours for, with heat (Yamazaki) 59
- Cookie spread**, see **Cookie quality**
- Cookies, sugar-snap**, see **Cookie quality**
- Cooking of rice**
 Expansion ratio; new and old

- rice (Desikachar and Subrahmanyam) 385
- Cooking quality**
- Of rice, vs. gelatinization and pasting (Hallick and Kelly) . . . 91
- Corn** (see also succeeding Corn entries)
- Damage in, fat acidity test for (Baker, Neustadt, and Zeleny) 308
- Dried (artificially) after shelling; effect of conditions on suitability for starch production and on viability (MacMasters, Finkner, Holzapfel, Ramser, and Dungan) 247
- Germ of, method of detecting damage to (Christensen and Qasem) 461
- High-amylose, experimental wet-milling of (Anderson and Pfeifer) 98
- Corn flour**
- Hydroxyethylated, properties of pastes of (Rankin, Mehlretter, and Senti) 215
- Corn starch**
- Effect of drying conditions of corn on suitability for production (MacMasters, Finkner, Holzapfel, Ramser, and Dungan) 247
- Granules of, effect of drying on physical properties and chemical reactivity (Whistler, Goatley, and Spencer) 84
- High-amylose, methods of dispersing (Sloan, MacMasters, and Senti) 196
- From high-amylose corn; experimental wet-milling (Anderson and Pfeifer) 98
- Hydroxyethylated, properties of pastes of (Rankin, Mehlretter, and Senti) 215
- Modified, by new Alkaline Paste Procedure (Fetzer and Kirst) 108
- Swelling and solubility patterns of (Leach, McCowen, and Schoch) 534
- Crumb**, see **Bread crumb**
- Cryptolestes pusillus** (Schönh) Food preference study (Loschiavo) 299
- Crystallinity**
- In bread, extent and rate (Zobel and Senti) 441
- Cystine**
- Polarographic assay, in wheat and flour hydrolysates (Daum, DeVries, and Miller) 176
- Defatting of flours**
- Effect on decomposition of Br⁻-labeled bromate (Lee and Tkachuk) 412
- Delta lactone of gluconic acid**, see **Glucono-delta-lactone**
- Dextrans**
- Effect on farinograph patterns (Wilham, Dimler, and Senti) . . 558
- Dough(s)**
- Bromate in, vs. structural relaxation (Hlynka and Matsuo) . . . 312
- Consistency measurements of (Lancaster and Anderson) . . . 420
- Fermenting, fate of sugars in (Lee, Cuendet, and Geddes) . . 522
- Maltose content of, increased during mixing; role of alpha-amylase (Lee and Geddes) . . . 554
- Mixing properties of from air-classified flour fractions (Gracza) 465
- effect of neutral polysaccharides on (Wilham, Dimler, and Senti) 558
- effects of sulfhydryl-blocking reagents on (Mecham) 134
- Mobility and absorption of; constant-flour and constant-dough methods (Hlynka) 378
- Physical tests, see **Extensigraph studies**; **Farinograph studies**
- From reconstituted flour; study of starch-protein vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) 199
- Sulfhydryl-disulfide system in (Matsumoto and Hlynka) . . . 513
- Water-flour, decomposing Br⁻-labeled bromate to bromide (Lee and Tkachuk) 412
- Drying**
- Of corn, artificial, after shelling; effect of conditions on suitability for starch production and on viability (MacMasters, Finkner, Holzapfel, Ramser, and Dungan) 247
- Of corn starch granules; effect on their physical properties and chemical reactivity (Whistler, Goatley, and Spencer) . . . 84
- Egg solids**, in cake mix; storage deterioration study (Miller, McWilliams, and McMullen) . . . 156
- Electrical charge**
- On gliadin molecules, overcoming intermolecular cross-linking (Holme and Briggs) 321
- Electrophoresis**
- For gliadin study; physical nature and molecular kinetic properties (Holme and Briggs) 321

Endosperm

- Of wheat, ash content and distribution (Hinton) 19

Enzymatic production of CO₂ in wetted wheat germ (Linko and Milner) 274**Enzymes (see also specific enzymes) In decarboxylation mechanism in wetted wheat germ (Linko and Milner)** 274**Extensigraph studies**

- With bromate in dough, vs. structural relaxation (Hlynka and Matsuo) 312

- With fractions (subsieve size) of air-classified flour (Gracza) 465

Extraction rate

- Of wheat, vs. ash content (Hinton) 19

Farinograph studies

- For dough mobility and absorption (Hlynka) 378

For effects of:

- neutral polysaccharides on dough-mixing properties (Wilham, Dimler, and Senti) 558

- sulphydryl-blocking reagents on curves (Mecham) 134

- Of flour-water batters and doughs, for consistency measurements (Lancaster and Anderson) 420

- With subsieve-size fractions of air-classified flour (Gracza) 465

Fat(s) (see also Oils; Shortenings)

- In bran, rejected by mill-infesting insects (Loschiavo) 299

Fat acidity

- Free, in wheat stored with various molds (Glass and Geddes) 186

- Test for, as measure of damage in wheat, corn, soybeans, and grain sorghum (Baker, Neustadt, and Zeleny) 308

- In wheat stored in air or nitrogen; effects of temperature and moisture level (Glass, Ponte, Christensen, and Geddes) 341

Fatty acids

- Effect on swelling of corn and potato starches (Leach, McCowen, and Schoch) 534

- Free-, in storage study of military chiffon cake mix (Miller, McWilliams, and McMullen) 156

Fermentation

- Brew process (or pre-ferment); effect of sugar and other nutrients on baking quality and

- yeast properties (Lee and Geddes) 1

- Fate of sugars in sponges and doughs during (Lee, Cuendet, and Geddes) 522

- Flat grain beetle; food preference study (Loschiavo)** 299

- Flour(s) (wheat, unless otherwise specified; see also succeeding Flour entries; Baking tests)**

- Air-classified (soft wheat), subsieve fractions of; physical tests and study of protein shifting (Gracza) 465

- Bleaching of, see **Bleaching of flour; Bleaching agents**

- Bread and all-purpose, irradiated with Co⁶⁰ gamma rays; baking quality and maltose value (Lee) 70

- Cereal, hydroxyethylated, pastes of (Rankin, Mehlretter, and Senti) 215

- Cookie, see **Cookie flour; Cookie quality**

- Corn, see **Corn flour**

- Defatting of; effect on decomposition of Br³⁵-labeled bromate (Lee and Tkachuk) 412

- Fractions and blends of; study of flour granularity vs. cookie quality (Yamazaki) 52

- Gels of; their rigidity, vs. bread staling (Cluskey, Taylor, and Senti) 236

- Hydrolysates of, improved polarographic assay for cystine in (Daum, DeVries, and Miller) 176

- Hydroxyethylated, pastes of (Rankin, Mehlretter, and Senti) 215

- From irradiated wheat, baking characteristics of (Lai, Finney, and Milner) 401

- Oil content of, contribution of wheat germ to (Stevens) 452

- Particle size of, flowdynamically determined, vs. protein content (Gracza) 465

- Protein in vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) 199

- simple method for determining (Feinstein and Hart) 191

- Radioactivity in, from strontium-90-exposed wheat (Lee) 194

- Reconstituted, vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) 199

- Rye, hydroxyethylated; properties of pastes of (Rankin, Mehl-

- ttreter, and Senti) 215
 Soft wheat, lean-formula cake method for varietal evaluation (Kissell) 168
 Starch in, vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) 199
 Sulfhydryl groups in, determined by titration with silver nitrate (Sokol, Mecham, and Pence) 127
 Sulfhydryl-disulfide system in (Matsumoto and Hlynka) 513
 Titration (amperometric) of thiol groups in (Bloksma) 357
Flour fractions
 Cookie quality study (Yamazaki) 42
 Gluten and wheat starch; staling studies of bread made from (Bechtel) 368
 Subsieve size, air-classified; physical tests and study of protein shifting (Gracza) 465
 Sulfhydryl-disulfide distribution in (Matsumoto and Hlynka) 513
Flour improvers (see also **Oxidizing agents**)
 Bromate
 action of, vs. flour lipids (Miller, McWilliams, and Matz) 412
 potassium, radioactive, presence unchanged in bread (Lee and Tkachuk) 294
 vs. structural relaxation in dough (Hlynka and Matsuo) 312
 Bromate and iodate, effect on sulfhydryl group (Matsumoto and Hlynka) 513
Flowdynamics
 In particle size study of air-classified flour fractions (Gracza) 465
Fluidity
 Of starch (alkaline paste-), method for estimating degree of modification (Fetzer and Kirst) 108
Fluorescence values
 Lipid and saline, of oils in chiffon cake mix (Miller, McWilliams, and McMullen) 156
Freeze-sectioning
 Of wheat grains for study of water penetration and internal cracking (Grosh and Milner) 260
Fructose
 Fate of, in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
Gamma irradiation
 Of flour; resulting baking quality and maltose value (Lee) 70
 Of wheat; oxidative, physical, and biochemical changes caused by (Lai, Finney, and Milner) 401
Gas exchange (CO_2)
 In wheat germ, induced by wetting (Linko and Milner) 274
Gas production
 In brews for breadmaking (Lee and Geddes) 1
 In sponges and doughs; effect of sponge temperature on (Lee, Cuendet, and Geddes) 522
Gelatinization; see **Starch** (Rice), gelatinization of
Gels
 Of wheat flour, starch, and gluten; their rigidity vs. bread staling (Cluskey, Taylor, and Senti) 236
Germ (see also **specific grains**;
 Germ damage)
 Of wheat, contribution of to oil content of flour (Stevens) 452
Germ damage
 In wheat stored in air or nitrogen; effects of temperature and moisture level (Glass, Ponte, Christensen, and Geddes) 341
 In wheat and corn, method of detecting (Christensen and Qasem) 461
Germination
 Of wheat grains and embryos vs. free amino and keto acids (Linko and Milner) 280
Gliadin
 Physical nature of; study of molecular kinetic properties (Holme and Briggs) 321
Glucono-delta-lactone, as leavening for instant bread mix (Miller, McWilliams, and Matz) 487
Glucose
 Fate of, in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
 Neutral polymers of (dextrans); comparative studies with starch products (Wilham, Dimler, and Senti) 558
Gluten (wheat); see also **succeeding Gluten entries**
 Gliadin from, physical nature of (Holme and Briggs) 321
 Sulfhydryl groups in, potentiometric titration of with iodine (Schaefer, Wilham, Dimler, and Senti) 431
 Staling study of bread made from (Bechtel) 368
 Titration (amperometric) of thiol groups in (Bloksma) 357

- Gluten complex**
Effect (adverse) of dextran on (Wilham, Dimler, and Senti) 558
- Gluten gels**
Of wheat; their rigidity, vs. bread staling (Cluskey, Taylor, and Senti) 236
- Glycosides (MHQ)**
In wheat kernel, estimation and location (Daniels) 32
- Grain**
Damage in, fat acidity test for (Baker, Neustadt, and Zeleny) 308
Hardness of, new tester for (Katz, Cardwell, Collins, and Hostetter) 393
- Grain sorghum**
Damage in, fat acidity test for (Baker, Neustadt, and Zeleny) 308
- Hardness**
Of grain, new tester for (Katz, Cardwell, Collins, and Hostetter) 393
Of wheat endosperm, with tempering (Grosh and Milner) 260
- Heat**
For testing flours for cookie quality (Yamazaki) 59
- Infestation, see Insects**
- Insects**
Mill-infesting, food preferences of (Loschiavo) 299
- Iodine**
For titration (potentiometric) of sulphydryl groups in wheat gluten (Schaefer, Wilham, Dimler, and Senti) 431
- Iodoacetamide**
As sulphydryl-blocking reagent; effects on mixing characteristics of doughs (Mecham) 134
- Ionizing radiation, see Irradiation; Radioactivity**
- Irradiation**
Of flour with Co⁶⁰ gamma rays; resulting baking quality and maltose value (Lee) 70
Of wheat, and oxidative, physical, and chemical changes caused by (Lai, Finney, and Milner) 401
- Kinetics**
Of lipoxidase system of wheat, effect of temperature on (Irvine) 146
- Krebs cycle acids**
Effect on CO₂ evolution and oxygen uptake by wetted wheat germ (Linko and Milner) 274
- Leavening system**
For instant bread mix; development (Miller, McWilliams, and Matz) 487
- Lipids**
In flour, vs. improver action of bromate (Lee and Tkachuk) 412
- Lipoxidase system**
Of wheat, effect of temperature on kinetics of (Irvine) 146
- Loaf volume (see also Bread)**
Importance of flour starch and protein in production of (Pence, Eremia, Weinstein, and Mecham) 199
With instant bread mix using Glucono-delta-lactone (Miller, McWilliams, and Matz) 487
- Lysine**
Effect on protein efficiency of high-protein breads (Brown, Flodin, Gray, and Paynter) 545
- Maltose**
Fate of, in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
Increase of, in dough during mixing; role of alpha-amylase in (Lee and Geddes) 554
- Maltose value**
Of flour irradiated with Co⁶⁰ gamma rays (Lee) 70
- Mealworm**
Food preference study (Loschiavo) 299
- Mercuric chloride**
As sulphydryl-blocking reagent; effects on mixing characteristics of doughs (Mecham) 134
- Mercury(II) nitrate solution**
As reagent in amperometric titration of thiol groups in flour and gluten (Blokasma) 357
- Method(s)**
Alkaline paste fluidity, for estimating starch modification (Fetzer and Kirst) 108
Cake (lean-formula), for varietal evaluation of soft wheat flours (Kissell) 168
For detecting germ damage in wheat and corn (Christensen and Qasem) 461
For determining protein content of wheat and flour samples (Feinstein and Hart) 191
For dispersing high-amylose corn starch (Sloan, MacMasters, and Senti) 196
Polarographic, improved, for assay of cystine in wheat and flour hydrolysates (Daum, De-

- Vries, and Miller) 176
- Methoxyhydroquinone (MHQ) glycosides**, see **Glycosides**
- Microflora**
- In rice, changes under cold storage (Houston, Ferrel, Hunter, and Kester) 103
- Micromilling**, see **Milling**, **experimental**
- Milling, experimental**
- Of high-amylose corn (Anderson and Pfeifer) 98
- For study of germ oil in flour (Stevens) 452
- Microscope studies**
- Of corn starch granules; study of drying effects (Whistler, Goatley, and Spencer) 84
- Of flour fractions and protein particle granules (Gracza) 465
- Of wheat grain; study of methoxyhydroquinone glycosides in (Daniels) 32
- Of wheat kernels, showing internal cracking (Grosh and Milner) 260
- Milo starch**, see **Starch**, **Sorghum**
- Mixes**
- Bread (instant); leavening system for (Miller, McWilliams, and Matz) 487
- Cake, chiffon, military; storage deterioration study (Miller, McWilliams, and McMullen) 156
- Mixing curves**, see under **Dough(s)**
- Mixing of dough**, see **Dough(s)**, **Mixing properties of**
- Mixograph studies**
- Of flours for cookie-baking; use of heat in testing for cookie quality (Yamazaki) 59
- Moisture**
- Effect on behavior of wheat stored in air or nitrogen (Glass, Ponte, Christensen, and Geddes) 341
- Loss of, effect on staling of cake (Kulp, Ponte, and Bechtel) 228
- In rice, amount recommended for cold storage (Houston, Ferrel, Hunter, and Kester) 103
- Mold(s)** (see also **Microflora**)
- In wheat stored in air or nitrogen; comparative deterioration study (Glass, Ponte, Christensen, and Geddes) 341
- N-ethylmaleimide (NEMI)**
- As sulphydryl-blocking agent: effect on sulphydryl content of dough (Matsumoto and Hlynka) 513
- As sulphydryl-blocking reagent; effects on mixing characteristics of doughs (Mecham) 134
- Nitrogen**
- Wheat stored in; effect of temperature and moisture level on behavior (Glass, Ponte, Christensen, and Geddes) 341
- Nutrients**
- Effect on yeast properties of brew-process bread (Lee and Geddes) 1
- Nutritive value** (see also **individual nutrients**)
- Of rice, effect of discoloration on (Desikachar, Majumder, Pingale, and Subrahmanyam) 78
- Oat flour**
- Hydroxyethylated, properties of pastes of (Rankin, Mehlretter, and Senti) 215
- Oil(s)**
- For cake mix (chiffon, military), in storage study (Miller, McWilliams, and McMullen) 156
- In flour, contribution of germ to (Stevens) 452
- Oxidation**
- Effect on staling of cake (Kulp, Ponte, and Bechtel) 228
- Oxidizing agents**
- Effect on farinograph curves, vs. sulphydryl-blocking reagents (Mecham) 134
- Effect on sulphydryl group (Matsumoto and Hlynka) 513
- Oxygen uptake**
- By wetted wheat germ, effect of Krebs cycle acids on (Linko and Milner) 274
- Papain extracts of flour**
- Saccharifying power of, with irradiated starch as substrate (Lee) 70
- Particle size**, see **Flour**, **Particle size**
- Paste(s)**
- Alkaline fluidity procedure for estimating degree of modification of starches (Fetzer and Kirst) 108
- Clarity of, from hydroxyethylated flours (Rankin, Mehlretter, and Senti) 215
- Consistency measurements of (Lancaster and Anderson) 420
- Viscosity of, from hydroxyethylated flours (Rankin, Mehlretter, and Senti) 215
- Paste characteristics**
- Of rice, vs. cooking behavior (Halick and Kelly) 91

- Penicillium**
 On rice, causing discoloration (Desikachar, Majumder, Pingale, and Subrahmanyam) . . . 78
 In stored wheat; deterioration study (Glass, Ponte, Christensen, and Geddes) . . . 341
- Pentosans**
 In flour (soft wheat), vs. cookie diameter (Sollars) . . . 498
- Peroxide values** of oils in cake mix: effect of storage time and temperature on (Miller, McWilliams, and McMullen) . . . 156
- Phosphorus**
 Inorganic and phytic acid, in deteriorating stored wheat (Glass and Geddes) . . . 186
- Photomicrographs**, see **Microscope studies**
- Pigment(s)**
 In flour, destroyed in doughs treated with sulfhydryl-blocking reagents (Mecham) . . . 134
- Polarography**
 For assay of cystine in wheat and flour hydrolysates (Daum, DeVries, and Miller) . . . 176
- Polysaccharides**, see **Carbohydrates**
- Potato starch**
 Swelling and solubility patterns of (Leach, McCowen, and Schoch) . . . 534
- Pre-ferment process**, see **Fermentation**, **Brew process**
- Protein(s)** (see also **succeeding Protein entries**)
 Of flour
 cystine in, polarographic assay (Daum, DeVries, and Miller) . . . 176
 vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) . . . 199
 Gliadin, physical nature of (Holme and Briggs) . . . 321
 In rice; solubility and growth-promoting value vs. discoloration (Desikachar, Majumder, Pingale, and Subrahmanyam) . . . 78
 Sulfhydryl content of, by several methods (Schaefer, Wilham, Dimler and Senti) . . . 431
 Water-soluble, in flour; effect on cookie diameter (Sollars) . . . 498
 In wheat and flour, simple method for determining (Feinstein and Hart) . . . 191
- Protein-carbohydrate interaction**
 Role of in flour and dough quality (Wilham, Dimler, and Senti) . . . 558
- Protein content**
 In flour fractions, coarse and fine (from air-classification), vs. particle size critical cut (Gracza) . . . 465
- Protein efficiency**
 In bread (high-protein); effect of lysine on (Brown, Flodin, Gray, and Paynter) . . . 545
- Protein shifting**
 Within fractions of air-classified flour; proposed index for measuring (Gracza) . . . 465
- Radioactive isotopes**, see **Radioactivity**
- Radioactive tracers**, see **Radioactivity**
- Radioactivity** (see also **Irradiation**)
 In bread; presence of Br⁸⁰-labeled bromate, unchanged (Lee and Tkachuk) . . . 294
 In dough(s) (water-flour); effects of defatting and of benzoyl peroxide on decomposition of Br⁸⁰-labeled bromate (Lee and Tkachuk) . . . 412
 In flour (Co⁶⁰ gamma rays); baking quality and maltose value (Lee) . . . 70
 In milling products of wheat grown in presence of Sr⁹⁰ (Lee) . . . 194
 In wheat (Br⁸⁰); causing oxidative, physical, and chemical changes (Lai, Finney, and Milner) . . . 401
- Radiographs**
 Of wheat kernels, showing internal cracking (Grosch and Milner) . . . 260
- Reconstituted flours**
 Loaf volume study (Pence, Eremia, Weinstein, and Mecham) . . . 199
- Red flour beetle**
 Food preference study (Loschiavo) . . . 299
- Rheology of dough**
 Mobility-absorption study (Hlynka) . . . 378
 Structural relaxation vs. bromate (Hlynka and Matsuo) . . . 312
- Rice**
 Discoloration in; nature, and effect on nutritive value (Desikachar, Majumder, Pingale, and Subrahmanyam) . . . 78
 Expansion ratio during cooking of new and old rice (Desikachar and Subrahmanyam) . . . 385
 Gelatinization and pasting characteristics of, vs. cooking be-

- havior (Halick and Kelly) . . . 91
- Rice, rough**
 Preservation by cold storage
 (Houston, Ferrel, Hunter, and
 Kester) . . . 103
- Rye flour**
 Hydroxyethylated, properties of
 pastes of (Rankin, Mehlretter,
 and Senti) . . . 215
- Saccharifying power**
 Of papain extracts of flour with
 irradiated starch as substrate
 (Lee) . . . 70
- Shortenings**
 For military chiffon cake mix; in
 storage study (Miller, McWil-
 liams, and McMullen) . . . 156
- "Sick" wheat**
 Detection of, rapid method
 (Christensen and Qasem) . . . 461
- Silver nitrate**
 As reagent in amperometric ti-
 tration of thiol groups in flour
 and gluten (Blokma) . . . 357
- Sodium hypochlorite**
 As bleach for detecting germ
 damage in wheat and corn
 (Christensen and Qasem) . . . 461
- Sorghum, see Grain sorghum;**
Starch, Sorghum
- Soybeans**
 Damage in, fat acidity test for
 (Baker, Neustadt, and Zeleny) 308
- Sponge(s)**
 Fermenting, fate of sugars in
 (Lee, Cuendet, and Geddes) . 522
- Staling of bread, see Bread staling**
- Staling of cake, see Cake, Staling**
of
- Starch(es)** (see also succeeding
 Starch entries)
 Cereal, hydroxyethylated, prop-
 erties of pastes of (Rankin,
 Mehlretter, and Senti) . . . 215
- Corn, see Corn starch**
 Of corn artificially dried after
 shelling; effect of drying
 conditions on suitability for
 production (MacMasters,
 Finkner, Holzapfel, Ramser,
 and Dungan) . . . 247
- Cross-linked**
 vs. bacterial alpha-amylase, in
 bread-staling study (Bech-
 tel) . . . 368
- in bread; X-ray diffraction
 studies on (Zobel and Senti) 441
- In flour, vs. loaf volume (Pence,
 Eremia, Weinstein, and Me-
 cham) . . . 199
- Modification of
 alkaline paste fluidity proce-
 dure for estimating degree
 (Fetzer and Kirst) . . . 108
- caused by gamma irradiation
 of wheat (Lai, Finney, and
 Milner) . . . 401
- Rice; gelatinization and pasting**
 vs. cooking behavior (Halick
 and Kelly) . . . 91
- Sorghum, swelling and solubility**
 patterns of (Leach, McCow-
 en, and Schoch) . . . 534
- Unmodified, swelling and solu-
 bility patterns of (Leach,
 McCowen, and Schoch) . . . 534
- Wheat**
 changes in, important in bread
 staling (Bechtel) . . . 368
- gels of; their rigidity, vs. bread
 staling (Cluskey, Taylor,
 and Senti) . . . 236
- Starch films**
 Properties of, from 50% amylose
 corn starch (Sloan, MacMas-
 ters, and Senti) . . . 196
- Starch granule(s)**
 Corn; effect of drying on physi-
 cal properties and chemical
 reactivity (Whistler, Goatley,
 and Spencer) . . . 84
- Photomicrographs of (Gracza) . 465
- Structure of (Leach, McCowen,
 and Schoch) . . . 534
- Storage studies**
 With bread; staling and firming
 during 140-hour period (Bech-
 tel) . . . 368
- With cake, white and yellow
 layer; factors affecting staling
 (Kulp, Ponte, and Bechtel) . . . 228
- With cake mix (chiffon, military);
 deterioration and loss of per-
 formance value (Miller, Mc-
 Williams, and McMullen) . 156
- With grains; role of tricarboxyl-
 ic acid cycle intermediates in
 stability (Linko and Milner) . 274
- With rice; preservation by cold
 storage (Houston, Ferrel, Hun-
 ter, and Kester) . . . 103
- With wheat, in air or nitrogen;
 effect of temperature and
 moisture level on behavior
 (Glass, Ponte, Christensen, and
 Geddes) . . . 341
- With wheat, deteriorating; in-
 organic phosphorus content of
 (Glass and Geddes) . . . 186
- Strontium-90**
 Activity in milled products of
 Thatcher wheat (Lee) . . . 194
- Structural relaxation in dough**
 vs. Bromate concentration (Hlyn-

- ka and Matsuo) 312
- Structure, microscopic**
- Of corn starch granule (Leach, McCowen, and Schoch) 534
- (Whistler, Goatley, and Spencer) 84
- Of rice, new and old, cooked (Desikachar and Subrahmanyan) 385
- Of wheat grain (Daniels) 32
- tempered (Grosh and Milner) 260
- Succinate brews for breadmaking**
- Effect of yeast nutrients on baking quality (Lee and Geddes) 1
- Sucrose**
- Fate of, in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
- Sugar(s)** (see also individual sugars; Carbohydrates)
- In brew-process bread: effect of, on baking quality (Lee and Geddes) 1
- In flour; study of maltose increase in doughs during mixing (Lee and Geddes) 554
- Sulphydryl-blocking agents**
- Effect on -SH content of dough (Matsumoto and Hlynka) 513
- Sulphydryl-blocking reagents**
- Effects on mixing character of doughs (Mecham) 134
- Sulphydryl-disulfide system** in flour and dough (Matsumoto and Hlynka) 513
- Sulphydryl groups**
- In wheat flours, determined by titration with silver nitrate (Sokol, Mecham, and Pence) 127
- In wheat gluten, potentiometric titration of with iodine (Schaefer, Wilham, Dimler, and Senti) 431
- Sulfite**, as reducing agent; effect on sulphydryl group (Matsumoto and Hlynka) 513
- Tapioca starch**
- Swelling and solubility patterns of (Leach, McCowen, and Schoch) 534
- Taste-panel test(s)**
- On bread, containing cross-linked starch and bacterial α -amylase (Zobel and Senti) 441
- Temperature**
- Of artificial drying of corn; effect on viability (MacMasters, Finkner, Holzapfel, Ramser, and Dungan) 247
- Effect of:
- on behavior of wheat stored in air or nitrogen (Glass, Ponte, Christensen, and Geddes) 341
- on kinetics of lipoxidase system of wheat (Irvine) 146
- Of rice, recommended for cold storage (Houston, Ferrel, Hunter, and Kester) 103
- Of sponge, effect on sugar level and on gas production in fermenting sponges and doughs (Lee, Cuendet, and Geddes) 522
- Tempering**
- Of wheat, study of water penetration and internal cracking (Grosh and Milner) 260
- Tenebrio molitor**
- Food preference study (Loschia-vo) 299
- Tenebroides mauritanicus**
- Food preference study (Loschia-vo) 299
- Thiamine**
- In milling fractions of Manitoba wheat (Daniels) 32
- Thiol groups**
- Titration (amperometric) of, in flour and gluten (Blokma) 357
- Tribolium castaneum (Hbst.)**
- Food preference study (Loschia-vo) 299
- Tribolium confusum (Duv.)**
- Food preference study (Loschia-vo) 299
- For removing germ, in study of germ oil in flour (Stevens) 452
- Tricarboxylic acid cycle**
- Role of, in survival of seeds in storage (Linko and Milner) 274
- Varietal studies**
- Rice; for gelatinization and pasting vs. cooking behavior (Halick and Kelly) 91
- Wheat
- flour granularity vs. cookie quality (Yamazaki) 42, 52
- flour starch and protein vs. loaf volume (Pence, Eremia, Weinstein, and Mecham) 199
- rigidity of gels vs. bread staling (Cluskey, Taylor, and Senti) 236
- soft; lean-formula cake method for evaluating (Kissell) 168
- use of heat in testing flours for cookie quality (Yamazaki) 59
- Viability**
- Of corn artificially dried after shelling (MacMasters, Finkner,

- Holzappel, Ramser, and Dun-
gan) 247
- Of grains, role of tricarboxylic
acid cycle intermediates in
(Linko and Milner) 274
- Of rice under cold storage
(Houston, Ferrel, Hunter, and
Kester) 103
- Of wheat stored in air or nitro-
gen; effects of temperature
and moisture level (Glass,
Ponte, Christensen, and Ged-
des) 341
- Of wheat stored with various
molds (Glass and Geddes) ... 186
- Viscosity**
Of pastes from hydroxyethylated
cereal flours (Rankin, Mehl-
tretter, and Senti) 215
- Water penetration**
Into wheat kernel, tempered;
also internal cracking of ker-
nel (Grosh and Milner) 260
- Water-solubles**
In flour (soft wheat), effect on
cookie diameter (Sollars) 498
- Water uptake**
In rice; study of cooking behav-
ior vs. gelatinization and past-
ing (Halick and Kelly) 91
- Waxy milo (sorghum) starch**
Swelling and solubility patterns
of (Leach, McCowen, and
Schoch) 534
- Wetting**
Of wheat germ, activating de-
carboxylation mechanism
(Linko and Milner) 274
- Of wheat grains and excised
germs, effect on free amino
and keto acid content (Linko
and Milner) 280
- Wheat** (see also succeeding Wheat
entries)
Damage in, fat acidity test for
(Baker, Neustadt, and Zeleny) 308
- Hardness of, new tester for
(Katz, Cardwell, Collins, and
Hostetter) 393
- Hydrolysates of, improved po-
larographic assay for cystine
in (Daum, DeVries, and Mill-
er) 176
- Inorganic phosphorus content of
(stored, deteriorating) (Glass
and Geddes) 186
- Lipoxidase system of, effect of
temperature on (Irvine) 146
- Protein in, simple method for
determining (Feinstein and
Hart) 191
- Radioactivity (strontium-90) in
milled products of (Lee) 194
- "Sick," rapid method for detect-
ing (Christensen and Qasem) . 461
- Stored, see **Storage studies**
- Temperature-moisture study, un-
der air or nitrogen (Glass,
Ponte, Christensen, and Ged-
des) 341
- Wheat embryo(s)**, see **Wheat germ**
- Wheat fractions**
Methoxyhydroquinone glycoside
contents of (Daniels) 32
- Wheat germ**
CO₂ evolution in when wetted
(Linko and Milner) 274
- Method of detecting damage to
(Christensen and Qasem) 461
- Wheat gluten**, see **Gluten**
- Wheat grains**
Acids of, amino and keto (free),
effect of wetting on (Linko
and Milner) 280
- Wheat kernel**
Ash in, distribution (Hinton) ... 19
- Methoxyhydroquinone (MHQ)
glycosides in, estimation and
location (Daniels) 32
- Tempered; water penetration
and internal cracking in (Grosh
and Milner) 260
- X-ray diffraction patterns** of bread
crumb (Zobel and Senti) 441
- X-rays**
For study of water penetration
and internal cracking in wheat
grains (Grosh and Milner) ... 260
- Yeast extract**
As nutrient in brews for bread-
making; effect on baking qual-
ity and yeast properties (Lee
and Geddes) 1
- Yeast properties**
Of brew-process bread: effect
on, of sugar and other nu-
trients (Lee and Geddes) ... 1

CEREAL CHEMISTRY

Published by the American Association of Cereal Chemists

Editor-in-Chief W. F. GEDDES
Managing Editor RAYMOND TARLETON
Assistant Editor EUNICE R. BROWN

Editorial Board:

WELKER G. BECHTEL	G. N. IRVINE
CHARLES E. BODE	DALE K. MECHAM
DOROTHY BRADBURY	BYRON S. MILLER
B. MARLO DIRKS	GEORGE PECKHAM



VOLUME 36, NOS. 1-6
JANUARY-NOVEMBER, 1959



Minneapolis, Minnesota
1959

CERIAL CHEMISTRY

VOLUME 1

1. Introduction
2. General Principles
3. Methods of Analysis

4. Qualitative Analysis
5. Quantitative Analysis

6. Instrumental Methods
7. Applications

Jones Press, Inc., Minneapolis, Minn.

CONTENTS

NUMBER 1, JANUARY, 1959

	PAGE
Studies on the Brew Process of Bread Manufacture: The Effect of Sugar and Other Nutrients on Baking Quality and Yeast Properties. <i>J. W. Lee and W. F. Geddes</i>	1
The Distribution of Ash in the Wheat Kernel. <i>J. J. C. Hinton</i> ..	19
The Estimation and Location of Methoxyhydroquinone Glycosides in the Wheat Grain. <i>D. G. H. Daniels</i>	32
Flour Granularity and Cookie Quality. I. Effect of Wheat Variety on Sieve Fraction Properties. <i>William T. Yamazaki</i>	42
Flour Granularity and Cookie Quality. II. Effects of Changes in Granularity on Cookie Characteristics. <i>William T. Yamazaki</i> ..	52
The Application of Heat in the Testing of Flours for Cookie Quality. <i>William T. Yamazaki</i>	59
The Baking Quality and Maltose Value of Flour Irradiated with Co^{60} Gamma Rays. <i>C. C. Lee</i>	70
Discoloration in Rice: Some Studies on Its Nature and Effect on Nutritive Value. <i>H. S. R. Desikachar, S. K. Majumder, S. V. Pingale, and V. Subrahmanyam</i>	78
Effect of Drying on the Physical Properties and Chemical Reactivity of Corn Starch Granules. <i>Roy L. Whistler, J. L. Goatley, and W. W. Spencer</i>	84
Gelatinization and Pasting Characteristics of Rice Varieties As Related to Cooking Behavior. <i>John V. Halick and Vincent J. Kelly</i>	91
A Note on Experimental Wet-Milling of High-Amylose Corn. <i>R. A. Anderson and V. F. Pfeifer</i>	98

NUMBER 2, MARCH, 1959

Preservation of Rough Rice by Cold Storage. <i>D. F. Houston, R. E. Ferrel, I. R. Hunter, and E. B. Kester</i>	103
The Estimation of Starch Paste Fluidities. <i>W. R. Fetzer and L. C. Kirst</i>	108
Further Studies on the Determination of Sulfhydryl Groups in Wheat Flours. <i>H. A. Sokol, D. K. Mecham, and J. W. Pence</i> ..	127
Effects of Sulfhydryl-Blocking Reagents on the Mixing Characteristics of Doughs. <i>D. K. Mecham</i>	134
Effect of Temperature on the Kinetics of the Lipoxidase System	

of Wheat. <i>G. N. Irvine</i>	146
Study of the Storage Deterioration and Loss of Performance Value of a Military Prepared Chiffon Cake Mix When Stored at 70° and 100° F. <i>J. A. Miller, C. S. McWilliams, and J. J. McMullen</i>	156
A Lean-Formula Cake Method for Varietal Evaluation and Research. <i>Leo T. Kissell</i>	168
The Polarographic Determination of Cystine in Wheat and Flour Hydrolysates. <i>Werner F. Daum, John E. DeVries, and Byron S. Miller</i>	176
Grain Storage Studies. XXVII. The Inorganic Phosphorus Content of Deteriorating Wheat. <i>R. L. Glass and W. F. Geddes</i> ..	186
A Simple Method for Determining the Protein Content of Wheat and Flour Samples. <i>Louis Feinstein and Joe R. Hart</i>	191
A Note on the Radioactivity Distribution in Milling Products of Thatcher Wheat Grown in the Presence of Strontium-90. <i>C. C. Lee</i>	194
A Note on Methods of Dispersing Fifty-Percent-Amylose Corn Starch. <i>J. W. Sloan, Majel M. MacMasters, and F. R. Senti</i> ..	196

NUMBER 3, MAY, 1959

Studies on the Importance of Starch and Protein Systems of Individual Flours in Loaf Volume Production. <i>J. W. Pence, Kathryn M. Eremia, N. E. Weinstein, and D. K. Mecham</i>	199
Hydroxyethylated Cereal Flours. <i>J. C. Rankin, C. L. Mehlretter, and F. R. Senti</i>	215
Some Factors That Affect the Staling of White and Yellow Layer Cakes. <i>K. Kulp, J. G. Ponte, Jr., and W. G. Bechtel</i>	228
Relation of the Rigidity of Flour, Starch, and Gluten Gels to Bread Staling. <i>J. E. Cluskey, N. W. Taylor, and F. R. Senti</i> ..	236
A Study of the Effect of Drying Conditions on the Suitability for Starch Production of Corn Artificially Dried After Shelling. <i>Majel M. MacMasters, M. D. Finkner, Margaret M. Holzapfel, J. H. Ramser, and G. H. Dungan</i>	247
Water Penetration and Internal Cracking in Tempered Wheat Grains. <i>Gordon M. Grosh and Max Milner</i>	260
Gas Exchange Induced in Dry Wheat Embryos by Wetting. <i>Pekka Linko and Max Milner</i>	274
Free Amino and Keto Acids of Wheat Grains and Embryos in Relation to Water Content and Germination. <i>Pekka Linko and Max Milner</i>	280
Studies with Radioactive Tracers. II. The Presence of Unchanged Bromate in Bread. <i>C. C. Lee and R. Tkachuk</i>	294

Observations on Food Preferences of Five Species of Stored-Product Insects. <i>S. R. Loschiavo</i>	299
Relationships between Fat Acidity Values and Types of Damage in Grain. <i>Doris Baker, M. H. Neustadt, and Lawrence Zeleny</i>	308
Quantitative Relation between Structural Relaxation and Bromate in Dough. <i>I. Hlynka and R. R. Matsuo</i>	312

NUMBER 4, JULY, 1959

Studies on the Physical Nature of Gliadin. <i>John Holme and D. R. Briggs</i>	321
Grain Storage Studies. XXVIII. The Influence of Temperature and Moisture Level on the Behavior of Wheat Stored in Air or Nitrogen. <i>R. L. Glass, J. G. Ponte, Jr., C. M. Christensen, and W. F. Geddes</i>	341
The Amperometric Titration of Thiol Groups in Flour and Gluten. <i>A. H. Bloksma</i>	357
Staling Studies of Bread Made with Flour Fractions. V. Effect of a Heat-Stable Amylase and a Cross-Linked Starch. <i>W. G. Bechtel</i>	368
Dough Mobility and Absorption. <i>I. Hlynka</i>	378
Expansion of New and Old Rice during Cooking. <i>H. S. R. Desikachar and V. Subrahmanyam</i>	385

NUMBER 5, SEPTEMBER, 1959

A New Grain Hardness Tester. <i>R. Katz, A. B. Cardwell, N. D. Collins, and A. E. Hostetter</i>	393
Treatment of Wheat with Ionizing Radiations. IV. Oxidative, Physical, and Biochemical Changes. <i>Sing-Ping Lai, K. F. Finney, and Max Milner</i>	401
Studies with Radioactive Tracers. III. The Effects of Defatting and of Benzoyl Peroxide on the Decomposition of Br ⁸² -Labeled Bromate by Water-Flour Doughs. <i>C. C. Lee and R. Tkachuk</i>	412
Consistency Measurements on Batters, Doughs, and Pastes. <i>E. B. Lancaster and R. A. Anderson</i>	420
Observations on the Potentiometric Titration of Sulfhydryl Groups in Wheat Gluten with Iodine. <i>W. C. Schaefer, C. A. Wilham, R. J. Dimler, and F. R. Senti</i>	431
The Bread Staling Problem. X-Ray Diffraction Studies on Breads Containing a Cross-Linked Starch and a Heat-Stable Amylase. <i>H. F. Zobel and F. R. Senti</i>	441

The Contribution of the Germ to the Oil Content of White Flour. <i>D. J. Stevens</i>	452
Note on a Rapid Method of Detecting Germ Damage in Wheat and Corn. <i>Clyde M. Christensen and Subhi A. Qasem</i>	461

NUMBER 6, NOVEMBER, 1959

The Subsieve-Size Fractions of a Soft Wheat Flour Produced by Air-Classification. <i>Rezsoe Gracza</i>	465
Development of the Leavening System for an Instant Bread Mix. <i>J. A. Miller, C. S. McWilliams, and S. A. Matz</i>	487
Effects of the Water-Soluble Constituents of Wheat Flour on Cookie Diameter. <i>William F. Sollars</i>	498
Some Aspects of the Sulfhydryl-Disulfide System in Flour and Dough. <i>H. Matsumoto and I. Hlynka</i>	513
The Fate of Various Sugars in Fermenting Sponges and Doughs. <i>J. W. Lee, L. S. Cuendet, and W. F. Geddes</i>	522
Structure of the Starch Granule. I. Swelling and Solubility Pat- terns of Various Starches. <i>Harry W. Leach, L. D. McCowen, and Thomas J. Schoch</i>	534
The Effect of Lysine Supplementation on the Protein Efficiency of High-Protein Breads. <i>J. W. Brown, N. W. Flodin, E. H. Gray, and O. E. Paynter</i>	545
The Role of Amylase Activity in the Rapid Increase of the Mal- tose Content of Wheat Flour Doughs during Mixing. <i>J. W. Lee and W. F. Geddes</i>	554
A Note on the Effects of Neutral Polysaccharides on Dough Mixing Properties. <i>C. A. Wilham, R. J. Dimler, and F. R. Senti</i>	558
Editorial Policy	564
Index to Volume XXXVI	566

